

# TestkingPDF



Try before you buy

Download a free sample of any of our exam questions and answers

 Download Demo

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.



## Quality and Value

TestkingPDF Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



## Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



## Easy to Pass

If you prepare for the exams using our TestkingPDF testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



## Try Before Buy

TestkingPDF offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.testkingpdf.com>

Valid test online & stable pass king & latest PDF dumps

**Exam** : **200-150**

**Title** : **Introducing Cisco Data Center  
Networking**

**Vendor** : **Cisco**

**Version** : **DEMO**

**NO.1** Which command displays the Trunking Native Mode VLAN on port Ethernet 1/18?

- A. show running-config switchport e1/18
- B. show running-config e1/18 switchport
- C. show interface e1/18
- D. show interface e1/18 switchport
- E. show interface e1/18 native

**Answer:** D

Explanation:

```
NX# show interface e1/18 switchport
Access Mode VLAN: 1 (default)
Trunking Native Mode VLAN: 1 (default)
Trunking VLANs Allowed: 1-4094
Voice VLAN: none
```

**NO.2** Which two options are multicast addresses? (Choose two.)

- A. FD00::2
- B. 192.168.2.2
- C. FF05::2
- D. 226.10.10.10
- E. 240.1.0.1

**Answer:** C,D

**NO.3** What are three reasons that switches supersede bridges? (Choose three.)

- A. Smaller frame buffers decrease latency.
- B. Forward, filter, or flood frames.
- C. Multiple simultaneous communications between ports.
- D. Larger inspection engine allows for higher throughput.
- E. Switches have many ports.

**Answer:** B,C,E

Explanation:

[http://docwiki.cisco.com/wiki/Bridging\\_and\\_Switching\\_Basics](http://docwiki.cisco.com/wiki/Bridging_and_Switching_Basics)

**NO.4** Which Cisco UCS power policy mode enables a configuration that can tolerate the loss of an input power circuit?

- A. nonredundatnt
- B. Grid
- C. N+1 in normal mode
- D. N+1 in high-density mode

**Answer:** D

**NO.5** Which two networking devices forward data based on destination MAC address? (Choose two.)  
)

- A. Repeater

- B. Bridge
- C. Switch
- D. Router
- E. Hub

**Answer:** B,C

Explanation:

[http://www.cisco.com/en/US/prod/collateral/switches/ps9441/ps9670/white\\_paper\\_c11-465436.html](http://www.cisco.com/en/US/prod/collateral/switches/ps9441/ps9670/white_paper_c11-465436.html)

**NO.6** Which layer of the OSI model is associated with the reliable transmission of datagrams?

- A. Datagram
- B. Routing
- C. Network
- D. Data link
- E. Transport
- F. Transmission
- G. Session

**Answer:** E

Explanation:

[http://en.wikipedia.org/wiki/Transport\\_layer](http://en.wikipedia.org/wiki/Transport_layer)

**NO.7** At which layer of the OSI Model is TCP traffic encapsulated?

- A. transport
- B. data-link
- C. application
- D. presentation

**Answer:** A

**NO.8** Which two features must be licensed on a Cisco Nexus 7000 Switch? (Choose two)

- A. Virtual Port Channel
- B. Layer 3
- C. Virtual Device Contexts
- D. iSCSI
- E. Fibre Channel

**Answer:** B,C

Explanation: Layer 3 license - Enterprise Services Package - LAN\_ENTERPRISE\_SERVICES\_PKG

Virtual Device Contexts license - Advanced Services Package - LAN\_ADVANCED\_SERVICES\_PKG

[http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/nx-os/licensing/guide/b\\_Cisco\\_NX-OS\\_Licensing\\_Guide/b\\_Cisco\\_NX-OS\\_Licensing\\_Guide\\_chapter\\_01.html](http://www.cisco.com/c/en/us/td/docs/switches/datacenter/sw/nx-os/licensing/guide/b_Cisco_NX-OS_Licensing_Guide/b_Cisco_NX-OS_Licensing_Guide_chapter_01.html)

**NO.9** A network design team has mandated that IP-only routing protocols be used in the network. Which two routing protocols will they want to use? (Choose two.)

- A. BGP

- B. OSPF
- C. RP
- D. EIGRP
- E. IS-IS

**Answer:** B,D

Explanation: <https://en.wikipedia.org/wiki/IS-IS>

**NO.10** A network engineer is changing the boot process of a router from its original state to one that boots from ROMMON.

Which option in Cisco IOS should be changed?

- A. config register number
- B. RMON
- C. bootflash settings
- D. terminal history

**Answer:** A